

PLEASE NOTE 7 DAYS BEFORE TESTING

MEDICATION RESTRICTIONS FOR ALLERGY SKIN AND PENICILLIN TESTING

Certain medications can interfere with allergy skin and Penicillin testing. Therefore, you may need to **temporarily** stop taking certain medications prior to being skin tested. Please refer to the list below and restriction time.

MEDICATION/ brand name	MEDICATION/ generic name	RESTRICTION TIME
Alavert/Claritin/Clarinex	loratidine	7.1
		7 days
Allegra/Allegra D	fexofenadine	7 days
Antivert	meclizine	7 days
Atarax/Vistaril	hydroxizine	7 days
Xyzal	Levocetirizine	7 days
	dihydrochloride	
Zyrtec/Zyrtec D	cetirizine	7 days
ANY over the counter Anti-	Advil, Motrin, Aleve,	7 days
inflammatory	Ibuprofen, Naproxen	
ANY over the counter cough,		2 days
cold and sleep aides		
Astelin Nasal Spray	azelastine	2 days
Axid	nizatidine	2 days
Benadryl	diphenhydramine	2 days
Brovex	brompheniramine	2 days
Elestat/Patanol/Optivar	Allergy eye drops	2 days
Pediox	chlorpheniramine	2 days
Pepcid	famotidine	2 days
Periactin	cyproheptadine	2 days
Phenergan	promethazine	2 days
Prevacid	Lansoprazole	2 days
Tagamet	cimetidine	2 days
Tavist	clemastime	2 days
Zantac	ranitidine	2 days
BETA BLOCKER		Please check with your
		Physician

Please continue all OTHER medications as directed by your physician. If you have any further questions, please call our office at (865) 483-7979 and ask to speak with an allergy nurse.